	Application No.	Applicant(s)
Notice of Allowability	10/813,454 Examiner	SAITO, YASUSHI Art Unit
,	Lammer	Artonic
	Jennifer L. Norton	2121
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to Request for Continued Examination filed 16 July 2007.		
2. The allowed claim(s) is/are 1,3,4 and 6.		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. ⊠ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)		*
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Da 	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 7/16/07 	7. Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	

DETAILED ACTION

1. The following is a **Notice of Allowance** in response to the Request for Continued Examination filed on 16 July 2007. Claims 1, 3, 4 and 6 are pending in this application.

REASONS FOR ALLOWANCE

- 2. Claims 1, 3, 4 and 6 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

The Information Disclosure Statement filed 16 July 2007 has been fully considered, and the disclosed invention of the instant application is patentably distinct over the prior art.

As per claim 1, the prior art of record taken alone or in combination fails to teach an automatic gain adjustment device with a multiplier for multiplying the phase-shifted input signal from the phase shifting means and component signal from the band-pass filter and its connection with a disturbance generator, phase-shifting means, band-pass filter, integrator and gain setting unit.

As per claim 4, the prior art of record taken alone or in combination fails to teach an automatic gain adjustment method for multiplying the phase-shifted input signal and

Art Unit: 2121

component signal from the band-pass filter, in conjunction with the method of generating the input signal using a disturbance generator, shifting a phase of the input signal, band-pass filtering the output signal, integrating product results of the multiplying step over one cycle at the predetermined frequency and adjusting a gain of the feedback control system.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following references are cited to further show the state of the art with respect to gain adjustment.

U.S. Patent No. 7,203,259 discloses an arrangement for generating a clock signal.

U.S. Patent No. 7,209,721 discloses single sideband (SSB) mixers and methods of extracting a SSB signal, which are capable of outputting a single frequency using a plurality of mixers and a local oscillating frequency without having to implement phase-shifting.

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer L. Norton whose telephone number is 571-272-3694. The examiner can normally be reached on 8:00 a.m. - 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Knight can be reached on 571-272-3687. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Page 5

Anthony Knight
Supervisory Patent Examiner
Art Unit 2121